1. STAGE PLOT for ABRAÇUS (5-piece)

```
AUDIENCE
              [ LEAD VOCAL MIC ]
             [ GTR AMP ] [GUITAR] [ VOCAL MIC ]
                (DI optional)
                      [ BASS ] [ BASS DI (Bass amm
   [ VOCAL MIC ]
   [ KEYS RIG + DI ]
                                  (Bass amp optional)
                [ DRUMS + PERC ]
              Kick • Snare • Hat • Rack
              Floor • OH L/R • Timbales
              WEDGE MONITORS
M1 = Guitar/Vox
M2 = Keys/Vox
M3 = Bass
M4 = Drums/Perc
M5 = Vocal/Perc
```

Stage Notes

- Preferred stage size: 16 ft (5m) wide minimum.
- Percussion can be stage-left or stage-right depending on venue.
- Keys and percussion should be placed so vocal mics do not conflict.
- Guitar & bass amps optional depending on venue; DI preferred for clean FOH mix.

2. Technical Rider

GENERAL

- Lineup:
 - Guitar & Lead Vocals
 - Keyboard & Vocals
 - Bass
 - Drums & Percussion
 - Vocalist / Auxiliary Percussion
- Performance Length:
 - o Weddings/Events: 2 x 45 min or 1 x 90 min
 - o Festivals/Concerts: 45–75 minutes
 - o Acoustic option available upon request

AUDIO REQUIREMENTS

Inputs

- 1. Kick
- 2. Snare
- 3. Hi-hat
- 4. Rack Tom
- 5. Floor Tom
- 6. OH Left
- 7. OH Right
- 8. Timbales / Perc Aux
- 9. Conga 1
- 10. Conga 2
- 11. Bass DI
- 12. Guitar Mic or DI
- 13. Keys L (DI)
- 14. Keys R (DI)
- 15. Lead Vocal
- 16. Keys Vocal
- 17. Aux Vocal
- 18. Percussion Vocal

Total: 18 channels (can operate with 14 if condensed)

Monitors (5 mixes)

- Mix 1 (Guitar): Lead vocal, guitar, light percussion
- Mix 2 (Keys): Keys, vocals, light drums
- Mix 3 (Bass): Bass, kick, drums
- Mix 4 (Drums/Perc): Drums, bass, percussion
- Mix 5 (Percussion/Vocal): Vocals, percussion, keys

In-ear monitors optional if provided by venue.

FOH Requirements

- 3 professional vocal mics (SM58 or equivalent)
- Percussion requires 2–3 instrument mics (SM57, e604, or equivalent)
- Keys & Bass require clean DIs
- Balanced PA suitable for audience size
- Skilled FOH engineer preferred

BACKLINE (If provided by venue)

- **Drums:** 5-piece acoustic kit + hardware
- **Bass amp:** 200+ watts (Markbass, Ampeg, or similar)
- Guitar amp: Fender Hot Rod, Blues Jr., Vox AC15 or similar
- Keyboard stand: 2-tier optional
- Percussion: Congas, timbales, shakers (optional—band can bring their own)

POWER

- Minimum 4× 10A outlets center/back stage
- Clean power for keys + pedalboards
- Stage should be free of shared heavy-load circuits where possible

HOSPITALITY

- A white towel for lead singer
- Water for all band members
- Basic green room if possible
- Parking/loading access within 25 meters of stage